

## Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code: REF 4125  
Product name: SP632 Regal Berry

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Light-curing resin / UV gel. For professional use only.

#### 1.3. Details of the supplier of the safety data sheet

Name: PASSIONE BEAUTY S.P.A.  
Full address: Viale Crispi 89-93  
District and Country: 36100 Vicenza (VI)  
Italia  
Tel.: +39 0444-239569  
e-mail address of the competent person responsible for the Safety Data Sheet: quality@pucosmetica.it

#### 1.4. Emergency telephone number

For urgent inquiries refer to: +39 0444-239569

### SECTION 2. Hazards identification

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

|                                                                    |      |                                                    |
|--------------------------------------------------------------------|------|----------------------------------------------------|
| Skin sensitization, category 1A                                    | H317 | May cause an allergic skin reaction.               |
| Hazardous to the aquatic environment, chronic toxicity, category 3 | H412 | Harmful to aquatic life with long lasting effects. |

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

|      |                                                    |
|------|----------------------------------------------------|
| H317 | May cause an allergic skin reaction.               |
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary statements:

|           |                                                                    |
|-----------|--------------------------------------------------------------------|
| P280      | Wear protective gloves.                                            |
| P261      | Avoid breathing dust / fume / gas / mist / vapours / spray.        |
| P333+P313 | If skin irritation or rash occurs: Get medical advice / attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse.           |

## REF 4125 - SP632 Regal Berry

## SECTION 2. Hazards identification ... / &gt;&gt;

P273 Avoid release to the environment.

**Contains:** PEG200-DIACRYLATE  
TPO-L  
PEG-4 Trimethylpropane triacrylate  
ACRYLIC RESIN  
Aliphatic Urethane Acrylate  
TRICYCLODECANDIMETHANOLDDIACRYLATE  
METHYL TOLUENE-4-SULFONATE  
NEOPENTIL GLYCOL PROPOSOXAL DIACRYLATE

## 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

## SECTION 3. Composition/information on ingredients

## 3.2. Mixtures

Contains:

| Identification                                | x = Conc. %        | Classification (EC) 1272/2008 (CLP)                                                 |
|-----------------------------------------------|--------------------|-------------------------------------------------------------------------------------|
| <b>Aliphatic Urethane Acrylate</b>            |                    |                                                                                     |
| INDEX                                         | $40 \leq x < 42,5$ | <b>Skin Sens. 1A H317</b>                                                           |
| EC                                            |                    |                                                                                     |
| CAS                                           |                    |                                                                                     |
| <b>POLYETHYLENE GLYCOL 200 DIMETHACRYLATE</b> |                    |                                                                                     |
| INDEX                                         | $15 \leq x < 16,5$ | <b>Aquatic Chronic 3 H412</b>                                                       |
| EC                                            |                    |                                                                                     |
| CAS                                           | 25852-47-5         |                                                                                     |
| <b>ACRYLIC RESIN</b>                          |                    |                                                                                     |
| INDEX                                         | $15 \leq x < 16,5$ | <b>Skin Sens. 1A H317, Aquatic Chronic 4 H413</b>                                   |
| EC                                            |                    |                                                                                     |
| CAS                                           | 264888-31-5        |                                                                                     |
| <b>TRICYCLODECANDIMETHANOLDDIACRYLATE</b>     |                    |                                                                                     |
| INDEX                                         | $15 \leq x < 16,5$ | <b>Skin Sens. 1B H317, Aquatic Chronic 2 H411</b>                                   |
| EC                                            | 255-901-3          |                                                                                     |
| CAS                                           | 42594-17-2         |                                                                                     |
| <b>PEG200-DIACRYLATE</b>                      |                    |                                                                                     |
| INDEX                                         | $4 \leq x < 4,5$   | <b>Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317</b>                     |
| EC                                            |                    |                                                                                     |
| CAS                                           | 26570-48-9         |                                                                                     |
| <b>TPO-L</b>                                  |                    |                                                                                     |
| INDEX                                         | $4 \leq x < 4,5$   | <b>Skin Sens. 1 H317, Aquatic Chronic 2 H411</b>                                    |
| EC                                            | 282-810-6          |                                                                                     |
| CAS                                           | 84434-11-7         |                                                                                     |
| <b>PEG-4 Trimethylpropane triacrylate</b>     |                    |                                                                                     |
| INDEX                                         | $4 \leq x < 4,5$   | <b>Eye Irrit. 2 H319, Skin Sens. 1 H317</b>                                         |
| EC                                            | 500-066-5          |                                                                                     |
| CAS                                           | 28961-43-5         |                                                                                     |
| <b>METHYL TOLUENE-4-SULFONATE</b>             |                    |                                                                                     |
| INDEX                                         | $0,5 \leq x < 0,6$ | <b>Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1B H317</b> |
| EC                                            | 201-283-5          | <b>STA Oral: 500 mg/kg</b>                                                          |
| CAS                                           | 80-48-8            |                                                                                     |
| <b>NEOPENTIL GLYCOL PROPOSOXAL DIACRYLATE</b> |                    |                                                                                     |
| INDEX                                         | $0,5 \leq x < 0,6$ | <b>Skin Sens. 1B H317, Aquatic Chronic 2 H411</b>                                   |
| EC                                            | 617-546-6          |                                                                                     |
| CAS                                           | 84170-74-1         |                                                                                     |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# PASSIONE BEAUTY S.P.A.

## REF 4125 - SP632 Regal Berry

Revision nr.1  
Dated 10/12/2024  
First compilation  
Printed on 10/12/2024  
Page n. 3 / 9

EN

### SECTION 4. First aid measures

#### 4.1. Description of first aid measures

Skin contact: Immediately remove all contaminated clothing and footwear unless they are attached to the skin. Wash immediately with plenty of soap and water.

Eye contact: Flush eyes with running water for 15 minutes. Consult a doctor.

Ingestion: Rinse mouth with water. Consult a doctor.

Inhalation: Remove the injured person from exposure ensuring their safety. Consult a doctor

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin Contact: Irritation and redness may occur at the site of contact.

Eye contact: Irritation and redness may occur. The eyes may water profusely.

Ingestion: Irritation and redness of the mouth and throat may occur.

Inhalation: Exposure may cause coughing or wheezing.

Delayed/Immediate Effects: Delayed effects may be expected after prolonged exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate/Special Treatment: Not applicable.

### SECTION 5. Firefighting measures

#### 5.1. Extinguishing media

Extinguishing media: Use extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: When burned, toxic fumes are emitted.

#### 5.3. Advice for firefighters

Advice for firefighters: Wear self-contained breathing apparatus. Wear protective clothing to avoid contact with skin and eyes.

### SECTION 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to intervene without suitable protective clothing - see section 8 of the SDS.  
Do not create dust.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

Clean-up Procedures: Transfer to a resealable, labeled waste container for disposal by appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of the SDS.

### SECTION 7. Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or diffusion of dust in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well-ventilated place. Keep container tightly closed.

#### 7.3. Specific end use(s)

# PASSIONE BEAUTY S.P.A.

## REF 4125 - SP632 Regal Berry

Revision nr.1  
Dated 10/12/2024  
First compilation  
Printed on 10/12/2024  
Page n. 4 / 9

EN

Specific end use: No data available.

### SECTION 8. Exposure controls/personal protection

#### 8.1. Control parameters

Information not available

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

##### HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

##### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

##### EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

##### RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

##### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

### SECTION 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

| Properties                             | Value             | Information |
|----------------------------------------|-------------------|-------------|
| Appearance                             | Gel liquid        |             |
| Colour                                 | Borgogna violaceo |             |
| Odour                                  | characteristic    |             |
| Melting point / freezing point         | not available     |             |
| Initial boiling point                  | not available     |             |
| Flammability                           | not available     |             |
| Lower explosive limit                  | not available     |             |
| Upper explosive limit                  | not available     |             |
| Flash point                            | > 60 °C           |             |
| Auto-ignition temperature              | not available     |             |
| Decomposition temperature              | not available     |             |
| pH                                     | not available     |             |
| Kinematic viscosity                    | not available     |             |
| Solubility                             | not available     |             |
| Partition coefficient: n-octanol/water | not available     |             |
| Vapour pressure                        | not available     |             |
| Density and/or relative density        | not available     |             |
| Relative vapour density                | not available     |             |
| Particle characteristics               | not applicable    |             |

#### 9.2. Other information

**SECTION 9. Physical and chemical properties ... / >>**

## 9.2.1. Information with regard to physical hazard classes

Information not available

## 9.2.2. Other safety characteristics

Information not available

**SECTION 10. Stability and reactivity****10.1. Reactivity**

Reactivity: Stable under recommended transportation or storage conditions.

**10.2. Chemical stability**

Chemical stability: Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Hazardous reactions: Under normal transport or storage conditions, dangerous reactions do not occur.  
Decomposition may occur upon exposure to the conditions or materials listed below.

**10.4. Conditions to avoid**

Conditions to avoid: Heat.

**10.5. Incompatible materials**

Materials to avoid: Strong oxidizing agents. Strong acids.

**10.6. Hazardous decomposition products**

Hazardous decomposition products: Emits toxic fumes when burned.

**SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.  
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

**SECTION 11. Toxicological information** ... / >>SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

**11.2. Information on other hazards**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

**SECTION 12. Ecological information**

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

**12.1. Toxicity**

Information not available

**12.2. Persistence and degradability**

Information not available

**12.3. Bioaccumulative potential**

Information not available

**12.4. Mobility in soil**

Information not available

**12.5. Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

# PASSIONE BEAUTY S.P.A.

## REF 4125 - SP632 Regal Berry

Revision nr.1  
Dated 10/12/2024  
First compilation  
Printed on 10/12/2024  
Page n. 7 / 9

EN

### SECTION 12. Ecological information ... / >>

#### 12.7. Other adverse effects

Information not available

### SECTION 13. Disposal considerations

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number or ID number

not applicable

#### 14.2. UN proper shipping name

not applicable

#### 14.3. Transport hazard class(es)

not applicable

#### 14.4. Packing group

not applicable

#### 14.5. Environmental hazards

not applicable

#### 14.6. Special precautions for user

not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

### SECTION 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

## REF 4125 - SP632 Regal Berry

## SECTION 15. Regulatory information ... / &gt;&gt;

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

## 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

|                          |                                                                    |
|--------------------------|--------------------------------------------------------------------|
| <b>Acute Tox. 4</b>      | Acute toxicity, category 4                                         |
| <b>Eye Irrit. 2</b>      | Eye irritation, category 2                                         |
| <b>Skin Irrit. 2</b>     | Skin irritation, category 2                                        |
| <b>Skin Sens. 1</b>      | Skin sensitization, category 1                                     |
| <b>Skin Sens. 1A</b>     | Skin sensitization, category 1A                                    |
| <b>Skin Sens. 1B</b>     | Skin sensitization, category 1B                                    |
| <b>Aquatic Chronic 2</b> | Hazardous to the aquatic environment, chronic toxicity, category 2 |
| <b>Aquatic Chronic 3</b> | Hazardous to the aquatic environment, chronic toxicity, category 3 |
| <b>Aquatic Chronic 4</b> | Hazardous to the aquatic environment, chronic toxicity, category 4 |
| <b>H302</b>              | Harmful if swallowed.                                              |
| <b>H319</b>              | Causes serious eye irritation.                                     |
| <b>H315</b>              | Causes skin irritation.                                            |
| <b>H317</b>              | May cause an allergic skin reaction.                               |
| <b>H411</b>              | Toxic to aquatic life with long lasting effects.                   |
| <b>H412</b>              | Harmful to aquatic life with long lasting effects.                 |
| <b>H413</b>              | May cause long lasting harmful effects to aquatic life.            |

## LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

## REF 4125 - SP632 Regal Berry

## SECTION 16. Other information ... / &gt;&gt;

## GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

## Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

## CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.