

## REF 4074 - AG170G60 ACRILGEL COVER GLITTER

## Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Code: REF 4074  
Product name: AG170G60 ACRILGEL COVER GLITTER

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Light-curing resin/UV gel. For professional use only.

## 1.3. Details of the supplier of the safety data sheet

Name: PASSIONE BEAUTY S.P.A.  
Full address: Viale Crispi 89-93  
District and Country: 36100 Vicenza (VI)  
Italia  
Tel.: +39 0444-239569  
e-mail address of the competent person responsible for the Safety Data Sheet: quality@pucosmetica.it

## 1.4. Emergency telephone number

For urgent inquiries refer to: +39 0444-239569

## SECTION 2. Hazards identification

## 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

## Hazard classification and indication:

|  |      |  |
|--|------|--|
| Serious eye damage, category 1                                     | H318 | Causes serious eye damage.                       |
| Skin irritation, category 2  | H315 | Causes skin irritation.                          |
| Skin sensitization, category 1A                                    | H317 | May cause an allergic skin reaction.             |
| Hazardous to the aquatic environment, chronic toxicity, category 2 | H411 | Toxic to aquatic life with long lasting effects. |

## 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

## Hazard pictograms:



Signal words: Danger

## Hazard statements:

|      |  |
|------|--|
| H318 | Causes serious eye damage.                       |
| H315 | Causes skin irritation.                          |
| H317 | May cause an allergic skin reaction.             |
| H411 | Toxic to aquatic life with long lasting effects. |

## Precautionary statements:

## REF 4074 - AG170G60 ACRILGEL COVER GLITTER

## SECTION 2. Hazards identification ... / &gt;&gt;

|                       |  |
|-----------------------|--|
| <b>P305+P351+P338</b> | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| <b>P280</b>           | Wear protective gloves / eye protection / face protection.   |
| <b>P310</b>           | Immediately call a POISON CENTER / doctor / . . .  |
| <b>P273</b>           | Avoid release to the environment.  |
| <b>P391</b>           | Collect spillage.  |
| <b>P261</b>           | Avoid breathing dust / fume / gas / mist / vapours / spray.  |

|                  |   |
|------------------|---|
| <b>Contains:</b> | REACTION PRODUCT OF 2-PROPENOIC ACID WITH PENTAERYTHRITOL<br>Aliphatic urethane acrylate<br>Di-HEMA Trimentihexyl dicarbamate |
|------------------|---|

## 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

## SECTION 3. Composition/information on ingredients

## 3.2. Mixtures

Contains:

| Identification   | x = Conc. %        | Classification (EC) 1272/2008 (CLP)   |
|--|--------------------|---|
| <b>Aliphatic urethane acrylate</b>                               |                    |   |
| INDEX  | $40 \leq x < 42,5$ | <b>Skin Sens. 1A H317</b>   |
| EC   |                    |   |
| CAS  |                    |   |
| <b>Di-HEMA Trimentihexyl dicarbamate</b>                         |                    |   |
| INDEX  | $40 \leq x < 42,5$ | <b>Skin Sens. 1B H317, Aquatic Chronic 2 H411</b>   |
| EC   | 276-957-5          |   |
| CAS  | 72869-86-4         |   |
| <b>REACTION PRODUCT OF 2-PROPENOIC ACID WITH PENTAERYTHRITOL</b> |                    |   |
| INDEX  | $19,5 \leq x < 21$ | <b>Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1A H317, Aquatic Chronic 3 H412</b> |
| EC   | 629-850-6          | <b>STA Oral: 500 mg/kg</b>  |
| CAS  | 1245638-61-2       |   |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## SECTION 4. First aid measures

## 4.1. Description of first aid measures

Skin contact: Immediately remove all contaminated clothing and footwear unless they are attached to the skin. Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact: Flush eyes with running water for 15 minutes. Consult a doctor.

Ingestion: Rinse mouth with water. Consult a doctor.

Inhalation: Remove victim from exposure ensuring your safety while doing so. Consult a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Irritation and redness may occur at the point of contact.

Eye contact: Irritation and redness may occur. The eyes may water profusely.

Ingestion: Pain and redness of the mouth and throat may occur.

Inhalation: Exposure may cause coughing or wheezing.

Delayed/immediate effects: Delayed effects are to be expected after long-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## REF 4074 - AG170G60 ACRILGEL COVER GLITTER

**SECTION 5. Firefighting measures****5.1. Extinguishing media**

Extinguishing media suitable for the surrounding fire should be used. Use water spray to cool containers.

**5.2. Special hazards arising from the substance or mixture**

When burned, it emits toxic fumes.

**5.3. Advice for firefighters****GENERAL INFORMATION**

Cool the containers with jets of water to avoid decomposition of the product and the development of potentially dangerous substances. Health. Always wear full fire protection equipment. Collect any extinguishing water that should not be used be discharged into sewers. Dispose of the contaminated water used for extinguishing and the residue of the fire according to current regulations.

**EQUIPMENT**

Normal fire-fighting clothing, such as open circuit compressed air breathing apparatus (EN 137), flame retardant suit (EN469), flame retardant gloves (EN 659) and boots for firefighters (HO A29 or A30).

**SECTION 6. Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

**6.2. Environmental precautions**

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

**6.3. Methods and material for containment and cleaning up**

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

**6.4. Reference to other sections**

Any information on personal protection and disposal is given in sections 8 and 13.

**SECTION 7. Handling and storage****7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

**7.2. Conditions for safe storage, including any incompatibilities**

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

**7.3. Specific end use(s)**

Information not available

## REF 4074 - AG170G60 ACRILGEL COVER GLITTER

## SECTION 8. Exposure controls/personal protection

## 8.1. Control parameters

Information not available

## 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

## HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

## SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

## EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

## RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

## ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

## SECTION 9. Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

| Properties                             | Value                         | Information |
|--|-------------------------------|-------------|
| Appearance                             | liquid                        |             |
| Colour                                 | rosa chiaro con micro-glitter |             |
| Odour                                  | characteristic                |             |
| Melting point / freezing point         | not available                 |             |
| Initial boiling point                  | not available                 |             |
| Flammability                           | not available                 |             |
| Lower explosive limit                  | not available                 |             |
| Upper explosive limit                  | not available                 |             |
| Flash point                            | > 60 °C                       |             |
| Auto-ignition temperature              | not available                 |             |
| Decomposition temperature              | not available                 |             |
| pH                                     | not available                 |             |
| Kinematic viscosity                    | not available                 |             |
| Solubility                             | not available                 |             |
| Partition coefficient: n-octanol/water | not available                 |             |
| Vapour pressure                        | not available                 |             |
| Density and/or relative density        | not available                 |             |
| Relative vapour density                | not available                 |             |
| Particle characteristics               | not applicable                |             |

## 9.2. Other information

9.2.1. Information with regard to physical hazard classes

## REF 4074 - AG170G60 ACRILGEL COVER GLITTER

## SECTION 9. Physical and chemical properties ... / &gt;&gt;

Information not available

9.2.2. Other safety characteristics

Information not available

## SECTION 10. Stability and reactivity

## 10.1. Reactivity

Stable under recommended transportation or storage conditions

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Under normal conditions of transport or storage, no dangerous reactions occur.  
Decomposition may occur if exposed to the conditions or materials listed below.

## 10.4. Conditions to avoid

Heat

## 10.5. Incompatible materials

Strong oxidizing agents. Strong acids

## 10.6. Hazardous decomposition products

When burned, it emits toxic fumes.

## SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

Not classified (no significant component)

REACTION PRODUCT OF 2-PROPENOIC ACID WITH PENTAERYTHRITOL

STA (Oral):

500 mg/kg estimate from table 3.1.2 of Annex I of the CLP  
(figure used for calculation of the acute toxicity estimate of the mixture)

SKIN CORROSION / IRRITATION

## REF 4074 - AG170G60 ACRILGEL COVER GLITTER

### SECTION 11. Toxicological information ... / >>

Causes skin irritation

#### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

#### RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

### SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

#### 12.1. Toxicity

Information not available

#### 12.2. Persistence and degradability

biodegradable

#### 12.3. Bioaccumulative potential

No bioaccumulation potential.

#### 12.4. Mobility in soil

Easily absorbed into the soil.

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

#### 12.6. Endocrine disrupting properties

## REF 4074 - AG170G60 ACRILGEL COVER GLITTER

## SECTION 12. Ecological information ... / &gt;&gt;

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

## 12.7. Other adverse effects

Negligible ecotoxicity.

## SECTION 13. Disposal considerations

## 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

## 14.1. UN number or ID number

not applicable

## 14.2. UN proper shipping name

not applicable

## 14.3. Transport hazard class(es)

not applicable

## 14.4. Packing group

not applicable

## 14.5. Environmental hazards

not applicable

## 14.6. Special precautions for user

not applicable

## 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

## SECTION 15. Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

## REF 4074 - AG170G60 ACRILGEL COVER GLITTER

## SECTION 15. Regulatory information ... / &gt;&gt;

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

#### Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

## 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

|                          |  |
|--------------------------|--|
| <b>Acute Tox. 4</b>      | Acute toxicity, category 4   |
| <b>Eye Dam. 1</b>        | Serious eye damage, category 1                                     |
| <b>Skin Irrit. 2</b>     | Skin irritation, category 2  |
| <b>Skin Sens. 1A</b>     | Skin sensitization, category 1A                                    |
| <b>Skin Sens. 1B</b>     | Skin sensitization, category 1B                                    |
| <b>Aquatic Chronic 2</b> | Hazardous to the aquatic environment, chronic toxicity, category 2 |
| <b>Aquatic Chronic 3</b> | Hazardous to the aquatic environment, chronic toxicity, category 3 |
| <b>H302</b>              | Harmful if swallowed.  |
| <b>H318</b>              | Causes serious eye damage.   |
| <b>H315</b>              | Causes skin irritation.  |
| <b>H317</b>              | May cause an allergic skin reaction.                               |
| <b>H411</b>              | Toxic to aquatic life with long lasting effects.                   |
| <b>H412</b>              | Harmful to aquatic life with long lasting effects.                 |

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).



## REF 4074 - AG170G60 ACRILGEL COVER GLITTER

## SECTION 16. Other information ... / &gt;&gt;

## GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

## Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

## CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

## Changes to previous review:

The following sections were modified:

04 / 05 / 10.