

## Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code: REF 7002 SP794  
Product name: Punk Orange

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: UV/LED gel

#### 1.3. Details of the supplier of the safety data sheet

Name: PASSIONE BEAUTY S.P.A.  
Full address: Viale Crispi 89-93  
District and Country: 36100 Vicenza (VI)  
Italia  
Tel.: +39 0444-239569  
e-mail address of the competent person responsible for the Safety Data Sheet: quality@pucosmetica.it

#### 1.4. Emergency telephone number

For urgent inquiries refer to: +39 0444-239569

### SECTION 2. Hazards identification

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

|                                |      |                                      |
|--------------------------------|------|--------------------------------------|
| Eye irritation, category 2     | H319 | Causes serious eye irritation.       |
| Skin irritation, category 2    | H315 | Causes skin irritation.              |
| Skin sensitization, category 1 | H317 | May cause an allergic skin reaction. |

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal word: Warning

Hazard statements:

|      |                                      |
|------|--------------------------------------|
| H319 | Causes serious eye irritation.       |
| H315 | Causes skin irritation.              |
| H317 | May cause an allergic skin reaction. |

Precautionary statements:

|           |                                                                    |
|-----------|--------------------------------------------------------------------|
| P280      | Wear protective gloves / eye protection / face protection.         |
| P261      | Avoid breathing dust / fume / gas / mist / vapours / spray.        |
| P333+P313 | If skin irritation or rash occurs: Get medical advice / attention. |

## REF 7002 SP794 - Punk Orange

## SECTION 2. Hazards identification ... / &gt;&gt;

**P337+P313** If eye irritation persists: Get medical advice / attention.  
**P264** Wash . . . thoroughly after handling.  
**P362+P364** Take off contaminated clothing and wash it before reuse.

**Contains:** Copolimero of acrylate  
Hydroxypropile metacrylate  
CI 15850

## 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

## SECTION 3. Composition/information on ingredients

## 3.2. Mixtures

Contains:

| Identification                    | x = Conc. %        | Classification (EC) 1272/2008 (CLP)                             |
|-----------------------------------|--------------------|-----------------------------------------------------------------|
| <b>Copolimero of acrylate</b>     |                    |                                                                 |
| INDEX                             | $58 \leq x < 62$   | <b>Skin Irrit. 2 H315, Skin Sens. 1 H317</b>                    |
| EC                                |                    |                                                                 |
| CAS 25035-69-2                    |                    |                                                                 |
| <b>Hydroxypropile metacrylate</b> |                    |                                                                 |
| INDEX                             | $35 \leq x < 37,5$ | <b>Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317</b> |
| EC                                |                    |                                                                 |
| CAS                               |                    |                                                                 |
| <b>CI 15850</b>                   |                    |                                                                 |
| INDEX                             | $3 \leq x < 3,5$   | <b>Skin Sens. 1 H317</b>                                        |
| EC                                |                    |                                                                 |
| CAS 5858-81-1                     |                    |                                                                 |
| <b>CI 60725</b>                   |                    |                                                                 |
| INDEX                             | $2 \leq x < 2,5$   | <b>Eye Irrit. 2 H319</b>                                        |
| EC                                |                    |                                                                 |
| CAS 81-48-1                       |                    |                                                                 |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## SECTION 4. First aid measures

## 4.1. Description of first aid measures

Inhalation: in case of exposure to a high concentration of steam or fog, bring the person outdoors. If breathing It has ceased, practice artificial respiration and consult a doctor.  
Contact with the skin: rinse the skin immediately with plenty of water (using soap, if available). Remove contaminated clothing and shoes. Wash clothes before reusing them. In case of symptoms, consult a doctor immediately.  
Contact with the eyes: the sketches are not likely, however if the product enters the eyes, rinse the eyes immediately with abundant water for at least 15 minutes. In case of irritation, consult a doctor immediately.  
Ingestion: do not induce vomiting. Keep calm. In case of ingestion of appreciable quantities, consult a doctor at the address.

Rescuer protection

Information not available

## 4.2. Most important symptoms and effects, both acute and delayed

Information not available

## 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

**SECTION 4. First aid measures ... / >>**

Means to have available in the workplace for specific and immediate treatment

Information not available

**SECTION 5. Firefighting measures****5.1. Extinguishing media**

Foam, dry chemicals or carbon dioxide

**5.2. Special hazards arising from the substance or mixture**

Unusual fires of fire or explosion: at high temperatures, an uncontrolled polymerization can occur with consequent explosion or breakage of storage containers.

Dangerous combustion products: carbon oxides. Nitrogen oxides. Irritating organic vapors. Toxic fumes.

**5.3. Advice for firefighters**

Special fire prevention procedures: remove all light sources. Wear a self-resurrected and complete protective clothing, such as emergency equipment.

**SECTION 6. Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Before cleaning any leakage or loss, the people involved in cleaning the escapes must wear adequate personal protection equipment.

For recovery and cleaning, use only non-sparkling tools. Transfer the liquid to containers for the recovery or disposal to the address and the solid rearrangement material in separate containers for the correct disposal. Readily remove contaminated clothing and wash the skin areas affected with soap and water. Keep the escapes and cleaning deceased

Out of municipal sewers and open water bodies. Dispose of and report according to the regulatory requirements if necessary. Prevent the washing waters from entering the waterways.

**6.2. Environmental precautions**

Information not available

**6.3. Methods and material for containment and cleaning up**

Information not available

**6.4. Reference to other sections**

Information not available

**SECTION 7. Handling and storage****7.1. Precautions for safe handling**

Manipulation: keep the container closed when it is not in use. Avoid prolonged contact with the product. Avoid contact

With eyes, skin and clothing. Do not breathe the vapors and mists. Wash carefully after manipulation. Not heat or spraying. Use only with adequate ventilation. Refer to section 8. Use only in an area equipped with adequate exhaust ventilation.

**7.2. Conditions for safe storage, including any incompatibilities**

Conservation: for a safe storage, keep at a temperature equal to or less than 26 ° C (80 ° F). Keep in a fresh and well-ventilated area, away from heat, sparks and free flames. Keep the container well closed until the time of use. If exposed to natural light, LEDs, UVA, UVB or any UV light, the material polymerizes very quickly.

Incompatible products: refer to section 10.

**7.3. Specific end use(s)**

Information not available

## REF 7002 SP794 - Punk Orange

## SECTION 8. Exposure controls/personal protection

## 8.1. Control parameters

Information not available

## 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

## HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

## SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

## EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

## RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

## ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SECTION 9. Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

| Properties                             | Value                          | Information |
|----------------------------------------|--------------------------------|-------------|
| Appearance                             | Gel liquid                     |             |
| Colour                                 | pink                           |             |
| Odour                                  | Characteristic. Acrylate smell |             |
| Melting point / freezing point         | not available                  |             |
| Initial boiling point                  | > 93 °C                        |             |
| Flammability                           | not available                  |             |
| Lower explosive limit                  | not available                  |             |
| Upper explosive limit                  | not available                  |             |
| Flash point                            | 105 °C                         |             |
| Auto-ignition temperature              | not available                  |             |
| Decomposition temperature              | not available                  |             |
| pH                                     | not available                  |             |
| Kinematic viscosity                    | not available                  |             |
| Solubility                             | not available                  |             |
| Partition coefficient: n-octanol/water | not available                  |             |
| Vapour pressure                        | not available                  |             |
| Density and/or relative density        | not available                  |             |
| Relative vapour density                | not available                  |             |
| Particle characteristics               | not applicable                 |             |

## 9.2. Other information

9.2.1. Information with regard to physical hazard classes

**SECTION 9. Physical and chemical properties** ... / >>

Information not available

**9.2.2. Other safety characteristics**

Information not available

**SECTION 10. Stability and reactivity****10.1. Reactivity**

Information not available

**10.2. Chemical stability**

Stable in normal storage and use conditions.

**10.3. Possibility of hazardous reactions**

Dangerous polymerization: it can occur. Uncontrolled polymerization can cause a rapid evolution of heat and an increase in pressure that could cause the violent breaking of sealed storage containers or containers.

**10.4. Conditions to avoid**

Heat, flames, exposure to light, sparks and other sources of ignition. Do not heat beyond 26 ° C (80 ° C).

**10.5. Incompatible materials**

Polymerization initiators, including peroxides, strong acids, strong oxidants, iron and strong bases.

**10.6. Hazardous decomposition products**

The fumes produced when heated up to decomposition can include:  
Carbon oxides, nitrogen oxides, dimethylamine, irritating organic vapors.

**SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

SKIN CORROSION / IRRITATION

Causes skin irritation

**SECTION 11. Toxicological information** ... / >>SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

**11.2. Information on other hazards**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

**SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

**12.1. Toxicity**

Information not available

**12.2. Persistence and degradability**

Information not available

**12.3. Bioaccumulative potential**

Information not available

**12.4. Mobility in soil**

Information not available

**12.5. Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

## REF 7002 SP794 - Punk Orange

## SECTION 12. Ecological information ... / &gt;&gt;

## 12.7. Other adverse effects

Information not available

## SECTION 13. Disposal considerations

## 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

## CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

## 14.1. UN number or ID number

not applicable

## 14.2. UN proper shipping name

not applicable

## 14.3. Transport hazard class(es)

not applicable

## 14.4. Packing group

not applicable

## 14.5. Environmental hazards

not applicable

## 14.6. Special precautions for user

not applicable

## 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

## SECTION 15. Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

## REF 7002 SP794 - Punk Orange

## SECTION 15. Regulatory information ... / &gt;&gt;

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

## 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

|                      |                                      |
|----------------------|--------------------------------------|
| <b>Eye Irrit. 2</b>  | Eye irritation, category 2           |
| <b>Skin Irrit. 2</b> | Skin irritation, category 2          |
| <b>Skin Sens. 1</b>  | Skin sensitization, category 1       |
| <b>H319</b>          | Causes serious eye irritation.       |
| <b>H315</b>          | Causes skin irritation.              |
| <b>H317</b>          | May cause an allergic skin reaction. |

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)

## REF 7002 SP794 - Punk Orange

## SECTION 16. Other information ... / &gt;&gt;

4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
27. Delegated Regulation (UE) 2024/2564 (XXII Atp. CLP)
28. Regulation (EU) 2024/2865

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

## Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

## CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.